

MicroWaves' Index - 1969

Technical Articles

- A "Do-It-Yourself" Transmission Line Impedance Chart**, W. C. Blanchard, April, p. 46.
- An Inside Look Into Microwave Transistors, Part 1: Power Devices**, Harry Cooke, December, p. 46.
- Beam Pointing Direction Of Traveling-Wave Arrays**, William J. Wellman, Sanford S. Shapiro, June, p. 76.
- Broadband Matching Of UHF Micro-Strip Amplifiers**, C. Kamnitsis, April, p. 54.
- Correction To Ell-Network Impedance-Matching Charts**, Edwin N. Phillips, April, p. 62.
- Design Of Broadband Diode Mixers For K-Band Radiometry**, Donald E. Crook, October, p. 60.
- Electrical Analogs For Optical Systems (Part 1)**, Stephen W. Mikulka, September, p. 94.
- Electrical Analogs For Optical Systems (Part 2)**, Stephen W. Mikulka, November, p. 116.
- Have You Tried Active Microwave Filters?**, Raymond Y. C. Ho, David K. Adams, July, p. 44.
- How To Assemble Hybrid Microwave ICs**, Norman Tarowsky, August, p. 52.
- Improved TWTs For Broadband Jamming**, Robert J. Espinosa, November, p. 52.
- Interpreting Pulsed RF Spectra**, Morris Engelson, March, p. 52.
- Laser Radar Applications**, Ronald T. H. Collis, March, p. 94.
- Materials For Re-Entry Vehicle Antenna Windows**, Walter K. Cetaruk, Thomas J. O'Connor, January, p. 49.
- Maximum Element Spacing For Non-Steerable Chebyshev Arrays**, Daniel Davis, June, p. 98.
- MERA Modules—How Good In An Array?**, Glenn C. Bandy, Lyman J. Hardeman, William F. Hayes, August, p. 38.
- Nomograms For Dual Channel Devices And Systems**, Fred E. Gardiol, September, p. 42.
- Nomograms . . . Measuring Radar Range Accuracy**, John R. Strang, February, p. 59.
- Non-Ferrite Microstrip Devices**, R. R. Jones, L. R. Whicker, January, p. 32.
- Obtain The Correct Dope On Receiver Sensitivity**, William Baker, February, p. 50.
- Phase-Shift vs Temperature For Braided Coax**, G. Rodriquez, February, p. 42.
- Pinpointing Location Of Hostile Radars**, Donald L. Margerum, November, p. 60.
- Power-Supply Design For Pulsed Lasers**, Lawrence Waszak, May, p. 130.
- Schilling, March, p. 57.
- Precise Stripline Filter Design Eliminates Resonator Trimming**, J. K. Richardson, July, p. 52.
- Predicting Transistor Behavior At The Threshold Of Large-Signal Conditions**, Richard H. Bauhaus, Roger W. Wong, October, p. 40.
- Pseudo-Exact Band-Pass Filter Design Saves Time (Part 5)**, Robert L. Sleven, February, p. 52.
- Pseudo-Exact Band-Pass Filter Design Saves Time (Part 6)**, Robert L. Sleven, March, p. 64.
- Pseudo-Exact Band-Pass Filter Design Saves Time (Part 7)**, Robert L. Sleven, May, p. 58.
- Pseudo-Exact Band-Pass Filter Design Saves Time (Part 8)**, Robert L. Sleven, July, p. 56.
- Pulse Modulation Of Triode Oscillators**, Shelby A. Jolly, March, p. 60.
- Selecting A Tunable Microwave Preselector**, Gino De Paola, September, p. 46.
- Supporting Waveguide Under Vibration**, Lou Virgile, April, p. 58.
- The Economics Of Antenna Receiving Systems**, C. Louis Cuccia, Sheldon Teicher, June, p. 86.
- The Loop TWT, Key To Range Deception**, H. J. Wolkstein, M. Freeling, M. P. Puri, November, p. 73.
- The Real World Of Micromin Substrates (Part 2)**, Sanford S. Lehrfeld, William Schilling, January, p. 44.
- The Real World Of Micromin Substrates (Part 3)**, William S. Schilling, March, p. 57.
- The Real World Of Micromin Substrates (Part 4)**, William Schilling, September, p. 36.
- The Real World Of Micromin Substrates (Part 5)**, Roy K. Durnwirth, William Schilling, December, p. 54.
- Transmission Line Properties Analyzed**, Robert Seckelmann, May, p. 52.
- Understanding Microwave Absorbing Materials and Anchoic Chambers, Part 1**, Steven Galagan, December, p. 38.
- Understanding The Rf Connector Spec—MIL-C-39012A**, William G. Wright, August, p. 64.

MicroWaves' Index - 1969

Technical Articles

- A "Do-It-Yourself" Transmission Line Impedance Chart**, W. C. Blanchard, April, p. 46.
- An Inside Look Into Microwave Transistors, Part 1: Power Devices**, Harry Cooke, December, p. 46.
- Beam Pointing Direction Of Traveling-Wave Arrays**, William J. Wellman, Sanford S. Shapiro, June, p. 76.
- Broadband Matching Of UHF Micro-Strip Amplifiers**, C. Kamnitsis, April, p. 54.
- Correction To Ell-Network Impedance-Matching Charts**, Edwin N. Phillips, April, p. 62.
- Design Of Broadband Diode Mixers For K-Band Radiometry**, Donald E. Crook, October, p. 60.
- Electrical Analogs For Optical Systems (Part 1)**, Stephen W. Mikulka, September, p. 94.
- Electrical Analogs For Optical Systems (Part 2)**, Stephen W. Mikulka, November, p. 116.
- Have You Tried Active Microwave Filters?**, Raymond Y. C. Ho, David K. Adams, July, p. 44.
- How To Assemble Hybrid Microwave ICs**, Norman Tarowsky, August, p. 52.
- Improved TWTs For Broadband Jamming**, Robert J. Espinosa, November, p. 52.
- Interpreting Pulsed RF Spectra**, Morris Engelson, March, p. 52.
- Laser Radar Applications**, Ronald T. H. Collis, March, p. 94.
- Materials For Re-Entry Vehicle Antenna Windows**, Walter K. Cetaruk, Thomas J. O'Connor, January, p. 49.
- Maximum Element Spacing For Non-Steerable Chebyshev Arrays**, Daniel Davis, June, p. 98.
- MERA Modules—How Good In An Array?**, Glenn C. Bandy, Lyman J. Hardeman, William F. Hayes, August, p. 38.
- Nomograms For Dual Channel Devices And Systems**, Fred E. Gardiol, September, p. 42.
- Nomograms . . . Measuring Radar Range Accuracy**, John R. Strang, February, p. 59.
- Non-Ferrite Microstrip Devices**, R. R. Jones, L. R. Whicker, January, p. 32.
- Obtain The Correct Dope On Receiver Sensitivity**, William Baker, February, p. 50.
- Phase-Shift vs Temperature For Braided Coax**, G. Rodriquez, February, p. 42.
- Pinpointing Location Of Hostile Radars**, Donald L. Margerum, November, p. 60.
- Power-Supply Design For Pulsed Lasers**, Lawrence Waszak, May, p. 130.
- Schilling, March, p. 57.
- Precise Stripline Filter Design Eliminates Resonator Trimming**, J. K. Richardson, July, p. 52.
- Predicting Transistor Behavior At The Threshold Of Large-Signal Conditions**, Richard H. Bauhaus, Roger W. Wong, October, p. 40.
- Pseudo-Exact Band-Pass Filter Design Saves Time (Part 5)**, Robert L. Sleven, February, p. 52.
- Pseudo-Exact Band-Pass Filter Design Saves Time (Part 6)**, Robert L. Sleven, March, p. 64.
- Pseudo-Exact Band-Pass Filter Design Saves Time (Part 7)**, Robert L. Sleven, May, p. 58.
- Pseudo-Exact Band-Pass Filter Design Saves Time (Part 8)**, Robert L. Sleven, July, p. 56.
- Pulse Modulation Of Triode Oscillators**, Shelby A. Jolly, March, p. 60.
- Selecting A Tunable Microwave Preselector**, Gino De Paola, September, p. 46.
- Supporting Waveguide Under Vibration**, Lou Virgile, April, p. 58.
- The Economics Of Antenna Receiving Systems**, C. Louis Cuccia, Sheldon Teicher, June, p. 86.
- The Loop TWT, Key To Range Deception**, H. J. Wolkstein, M. Freeling, M. P. Puri, November, p. 73.
- The Real World Of Micromin Substrates (Part 2)**, Sanford S. Lehrfeld, William Schilling, January, p. 44.
- The Real World Of Micromin Substrates (Part 3)**, William S. Schilling, March, p. 57.
- The Real World Of Micromin Substrates (Part 4)**, William Schilling, September, p. 36.
- The Real World Of Micromin Substrates (Part 5)**, Roy K. Durnwirth, William Schilling, December, p. 54.
- Transmission Line Properties Analyzed**, Robert Seckelmann, May, p. 52.
- Understanding Microwave Absorbing Materials and Anchoic Chambers, Part 1**, Steven Galagan, December, p. 38.
- Understanding The Rf Connector Spec—MIL-C-39012A**, William G. Wright, August, p. 64.

MicroWaves' Index

What Ever Happened To The Laser Gyro?, Ronald J. Vigneri, November, p. 111.

When Is Cw Ranging Better?, Ronald J. Vigneri, July, p. 86.

Wideband Multiplexers Using Directional Filters, David K. Adams, William B. Weir, May, p. 44.

Wideband Polarization Diversity, Horst K. Miersch, October, p. 50.

Windows For High-Power Lasers, Frank Horrigan, Claude Klein, Robert Rudko, David Wilson, January, p. 68.

NEWS

Astronomy Board Recommends Greatly Expanded Program, December, p. 24.

Best Performance Yet In Two-Port YIG Delay, July, p. 13.

Closed Cycle Gas Cooling Results In Tiny 1000 Watt Laser, October, p. 20.

Coherence Length $\rightarrow \infty$ With Piezo-Driven Etalon, September, p. 18.

Computer Programs in Trans. G-MTT, April, p. 26.

D. C. Area A Mecca For Engineers, December, p. 24.

Diode and Ferrite Shifter Costs Compared, April, p. 20.

Dual Polarized Radar Maps Ice Fields Better Than A Camera, November, p. 17.

Echo Processor Offers 12 μ s Delay With 50 dB Gain, October, p. 16.

Electron Spins Compress S-Band Pulses Over 250:1, October, p. 13.

Exotic Applications Of Lasers, November, p. 110.

FAA Tests Remoting Airport Radar, October, p. 18.

First European Microwave Conference Occurs In London, November, p. 18.

Getting Ready For The 70s, May, p. 14.

Group On Microwave Theory and Techniques, April, p. 22.

Hear EMC Microwave Doctrine This Month, June, p. 28.

Holographic Radar Signal Processing Is Here! July, p. 85.

IEEE Conference On Laser Engineering and Applications, May, p. 124.

Improve Radar Resolution With Strip-Line Dispersion, June, p. 22.

Kerr Effect Suggested For Extra Chirp, July, p. 14.

"Kit" Doubles Radar Range, May, p. 19.

L Band Studied For Global Air Traffic Control, July, p. 16.

Laser Communicator Operates Virtually Noise Free, November, p. 108.

Laser For H-Bomb Trigger?, March, p. 91.

Laser For H-Bomb Trigger?, May, p. 121.

Laser Measured 100 kV To One Per Cent, May, p. 12.

Lasers and Holography: New Approach For A Television Tape Player, December, p. 19.

Lasers Break Into Ocean Synoptics, July, p. 22.

Lease A Laser, August, p. 16.

Lightweight Folding Antenna Available for Microwave Application, October, p. 21.

Low-Level Microwaves Stop Frogs' Hearts, September, p. 14.

Metal Vapor Lases 150 mW cw in 1-m Cavity, July, p. 96.

Microwave Communications Service Between New York and Chicago Is Proposed, November, p. 11.

Microwave Safe Exposure Level Scrutinized, September, p. 13.

Microwaves Bring Engineering Courses To Peninsula Industry, May, p. 10.

Military To Set Tougher Spec On Microwave Radio, June, p. 18.

Millimeter Radard Works, March, p. 18.

Monkey Deaths Denied In Rf Bio Tests At Sanders, September, p. 16.

Moon Antenna Is Wire Knit, May, p. 14.

Navy Commits To C-SCAN For Carrier Landings, August, p. 16.

NBS Phase Calibration Service Broadened, May, p. 12.

New Phased Array Does It Without Shifters, March, p. 20.

Phased Arrays Can't Compete with Mechanically-Scanned Radars, December, p. 23.

Physicists Dispute Gunn Effect Dogma, November, p. 12.

Plastic Laser Heads—A Growing Family, September, p. 110.

President's Panel Would Smash AT&T Common Carrier Monopoly, January, p. 10.

Proposals Sought On Microwave Bio Effects, April, p. 18.

RCA Previews High Efficiency Avalanche Cookbook, August, p. 15.

Radar Performed Superbly . . ., May, p. 14.

Radar Well-Rehearsed For Moon Landing Role, August, p. 20.

Radiation Symposium—January 28-30, 1969, November, p. 110.

Railroad Gets 1000-Mile Communication System, August, p. 19.

Range-Gated Laser Viewer Seeks Broad Market, January, p. 67.

COAXIAL

SWITCHES

by **TELEMICRO**


DC to 18 GHz

SP2T - SP3T - SP6T
also TRANSFER TYPES

10 ms Switching Time

N, TNC or OSM Connectors

Fail-Safe Operation



Excellent RF characteristics

Typical values for the SP2T

FREQ. (GHz)	VSWR	ISOLATION (db)	INSERTION LOSS (db)
0-1	1.10:1	100	0.1
1-2	1.25:1	90	0.3
2-7	1.40:1	80	0.4
7-12	1.50:1	70	0.5
12-18	1.70:1	60	0.7

TELEMICRO, INC.

1527 26th Street
Santa Monica, California 90404

Telephone (213) 870-8983

- REPRESENTATION INVITED -

ON READER SERVICE CARD CIRCLE 78

102

MicroWaves' Index

Safety-Engineered Laser Art
Passes Inspection, May, p.
123.

Scientists Spark Anti-ABM
Hassle, March, p. 16.

Solid-State Circuits Conference
To Feature Microwave and
Laser Papers, January, p.
15.

Soviet Health Standards On Mi-
crowave Exposure, April, p.
26.

Struggle For The Microwave
Common Carrier Market,
February, p. 14.

Struggle For The Microwave
Common Carrier Market,
March, p. 38.

Surface Waves For 30 dB Gain in
A TO-17, June, p. 24.

Tactical 3-D Radar Is A First,
July, p. 20.

Tenth-Scale ADAR Gets Its "Spig-
ots", May, p. 18.

"They're Getting Bigger," May,
p. 14.

"TRAPATT" Design Theory
Works, May, p. 16.

Tubes Are Cheap, Light With
Samarium-Cobalt, May, p.
19.

TV Tape Player Uses Lasers and
Holography, November, p.
108.

U. S. Display Technology Lacking
For Air-Traffic Radar,
March, p. 12.

What LBJ's Task Force On Com-
munications Policies Pro-
poses, January, p. 12.

Why High Efficiency At Ava-
lanche Subharmonics, April,
p. 14.

Cover Features

Amplifier Modules Put Out 10
Watts At S-Band, Septem-
ber, p. 56.

Avoid Bonding. Use Deposited
Beam Leads, December, p.
67.

Bypass Capacitor Useful to 12
GHz, May, p. 102.

Digital Tuning Imposes Will On
Cavity Oscillators, July, p.
62.

Fundamental Transistor Oscilla-
tor Invades X-Band, Decem-
ber, p. 74.

New Design Slashes Precision
Connector Cable Costs, June,
p. 101.

Peripheral-Mode Isolator Oper-
ates From 3.5 GHz to 11
GHz, April, p. 64.

Stable X-Band Gunn Source Takes
Unregulated Input Voltage,
October, p. 118.

2-Watt Impatt Oscillator In X-
Band, May, p. 104.

20-Hz to 18 GHz Automatic Fre-
quency Counter Provides 11-
Digit Readout, August, p. 67.

Wideband Amplifier Tracks Sig-
nals In Dense Electromag-
netic Environment, Novem-
ber, p. 67.

YAG Laser Delivers 60 Watts cw,
January, p. 78.

YIG Filter Spans L Through K
Bands, February, p. 66.

YIG-Tuned Analyzer Sweeps From
0.7 To 18 GHz, March, p. 70.

Product Surveys

Antenna Special, June, p. 47.

First Holographic Products And
Services Directory, Septem-
ber, p. 87.

Micromin Products Survey, De-
cember, p. 68.

Microwave Test Instruments, Oc-
tober, p. 65.

Survey Of New Companies, Janu-
ary, p. 56.

Survey Of Semiconductor Devices
—Part 1, February, p. 87.

Survey of Semiconductor Devices
—Part 2, April, p. 87.

MICROWAVES • December, 1969

